



ストレートプラグ・L形プラグ

(トリプル)：トリプルチャッキングシリーズは迅速且つ確実にケーブルアッセンブリができ、電氣的安定性、ケーブル保持力の優れた同軸コネクタです。


品 名	NMC 形名	適合ケーブル	ϕd
S-5DVP	S-P001	5D-2V	8.6
S-5DWP	S-P002	5D-2W	9.3




品 名	NMC 形名	適合ケーブル	ϕd	L
S-8DVP	S-P003	8D-2V	12.6	55.6
S-8DWP	S-P004	8D-2W	13.5	55.6
S-10DVP	S-P058	10D-2V	14.5	56.0
S-10DWP	S-P059	10D-2W	15.5	56.0



品 名	NMC 形名	適合ケーブル	ϕD	ϕd	L
S-5DVJ	S-J014	5D-2V	18.0	8.6	46.0
S-5DWJ	S-J015	5D-2W	18.0	9.3	46.0
S-8DVJ	S-J016	8D-2V	23.0	12.6	54.0
S-8DWJ	S-J017	8D-2W	23.0	13.5	54.0
S-10DVJ	S-J060	10D-2V	23.0	14.5	54.6
S-10DWJ	S-J061	10D-2W	23.0	15.5	54.6




品 名	適合ケーブル	ϕd
S-P031	5D-2W, RG-5/U	8.5
S-P032	5D-2V	8.0




(トリプル)

品 名	適合ケーブル	ϕD	ϕd	H	L
S-P033	8D-2V	20.0	11.8	18.0	46.0
S-P034	8D-2W	20.0	13.2	18.0	46.0
S-P035	10D-2V	21.5	14.4	20.0	46.0
S-P036	10D-2W	21.5	15.5	20.0	47.5



(トリプル)

品 名	適合ケーブル	ϕd
S-LP043	5D-2W, RG-5/U	8.5
S-LP044	5D-2V	8.0




(トリプル)


TYPE S COAXIAL CONNECTORS

L形プラグ・パネルジャック


品名	NMC形名	適合ケーブル	ϕD	ϕd	L
S-5DVPL	S-LP008	5D-2V	18.0	8.6	52.0
S-5DWPL	S-LP009	5D-2W	18.0	9.3	52.0
S-8DVPL	S-LP010	8D-2V	23.0	12.6	65.0
S-8DWPL	S-LP011	8D-2W	23.0	13.5	65.0
S-10DVPL	S-LP062	10D-2V	23.0	14.5	65.0
S-10DWPL	S-LP063	10D-2W	23.0	15.5	65.0




品名	NMC形名	適合ケーブル	ϕD	ϕd	L	ϕP	$\square S$
S-5DVPJ	S-PJ025	5D-2V	18.0	8.6	46.0	25.0	25.0
S-5DWPJ	S-PJ026	5D-2W	18.0	9.3	46.0	25.0	25.0
S-8DVPJ	S-PJ027	8D-2V	23.0	12.6	54.0	30.0	30.0
S-8DWPJ	S-PJ028	8D-2W	23.0	13.5	54.0	30.0	30.0
S-10DVPJ	S-PJ074	10D-2V	23.0	14.5	54.6	30.0	30.0
S-10DWPJ	S-PJ066	10D-2W	23.0	15.5	54.6	30.0	30.0




品名	適合ケーブル	ϕD	ϕd	L1	L2	H
S-LP045	8D-2V	20.0	11.8	39.5	36.5	18.0
S-LP046	8D-2W	20.0	13.2	39.5	36.5	18.0
S-LP047	10D-2V	21.5	14.4	41.0	37.5	20.0
S-LP048	10D-2W	21.5	15.5	42.5	37.5	20.0



品名	適合ケーブル	ϕd
S-J037	5D-2W, RG-5/U	8.5
S-J038	5D-2V	8.0




品名	適合ケーブル	ϕD	ϕd	H	L
S-J039	8D-2V	20.0	11.8	18.0	46.0
S-J040	8D-2W	20.0	13.2	18.0	46.0
S-J041	10D-2V	21.5	14.4	20.0	47.5
S-J042	10D-2W	21.5	15.5	20.0	47.5




パネルジャック・レセプタクル・アダプター

品 名	適合ケーブル	ϕd
S-PJ049	5D-2W, RG-5/U	8.5
S-PJ050	5D-2V	8.0




(トリプル)


品 名	NMC 形名	備 考
S-R	S-R030	レセプタクル



品 名	NMC 形名	備 考
S-PA	S-PA012	パネルアダプタ




品 名	適合ケーブル	ϕD	ϕd	H	ϕP	$\square S$
S-PJ051	8D-2V	20.0	11.8	18.0	25.0	25.0
S-PJ052	8D-2W	20.0	13.2	18.0	25.0	25.0
S-PJ053	10D-2V	21.5	14.4	20.0	30.0	30.0
S-PJ054	10D-2W	21.5	15.5	20.0	30.0	30.0



(トリプル)

品 名	NMC 形名	備 考
S-PR	S-PR020	プラグレセプタクル



品 名	NMC 形名	備 考
S-R752	S-R752	レセプタクル (BNC 形フランジ)

